

# Instance Settings

## Access the Admin Portal

The System Administrator Portal for your instance is available at `https://your.domain.com/admin`.

## Settings to be aware about

If you are the main admin of the instance, it is good to be aware that there are a couple of settings that we do NOT set by default that you may wish to change. In order of appearance...

### Allow new signups

Allow new signups  Default: true

This may seem counter-intuitive until you realize that we set up the initial user based on this availability. This also lets us easily onboard any additional users onto the instance. However, it is worth looking into as an option to set when creating the instance. However, it does not cause a major attack vector, especially when additional restrictions are introduced. Also, it enables zero data-leakage, as it simply allows an additional account to be enabled on the system.

### Set attachment limits

Per-user attachment limit (KB)

Per-organization attachment limit (KB)

Setting attachment limits avoids the really large attack vector from leaving account registrations open, which is to run an instance out of space by uploading very large attachments. This can be set from the instance setup, and from the admin page.

# SMTP Email Settings

### SMTP Email Settings

Enabled	<input checked="" type="checkbox"/> Default: true
Host	<input type="text"/>
Enable Secure SMTP	<input checked="" type="checkbox"/> Default: true
Force TLS	<input type="checkbox"/> Default: false
Port	<input type="text" value="587"/>
From Address	<input type="text"/>
From Name	<input type="text" value="Vaultwarden"/>
Username	<input type="text"/>
Password	<input type="password"/> <span>Show/hide</span>
SMTP Auth mechanism	<input type="text"/>
SMTP connection timeout	<input type="text" value="15"/>
Server name sent during HELO	<input type="text"/>
Enable SMTP debugging (Know the risks!)	<input type="checkbox"/> Default: false
Accept Invalid Certs (Know the risks!)	<input type="checkbox"/> Default: false
Accept Invalid Hostnames (Know the risks!)	<input type="checkbox"/> Default: false
Test SMTP	<input type="text" value="Enter test email"/> <span>Send test email</span>

Like most services offered, because there is currently no bundled SMTP service, this is left blank. However, this can be connected to any email service that you have setup.

## Email signup limitations

Implementing the above allows setting the below limitations on signups

Require email verification on signups. This will prevent logins from succeeding until the address has been verified  Default: false

If signups require email verification, automatically re-send verification email if it hasn't been sent for a while (in seconds)

If signups require email verification, limit how many emails are automatically sent when login is attempted (0 means no limit)

Email domain whitelist

This means that you can require signup emails to be verified for signups, but only to whitelisted domains. This works great if you work in an organization that uses their own domain addresses.

---

Revision #2

Created 13 July 2021 00:12:49 by andrewcz

Updated 11 August 2021 02:13:07 by andrewcz